Art Unit:

2165

AMENDMENTS TO THE CLAIMS:

This listing of the claims will replace all prior versions, and listings, of the claims in this application:

Listing of Claims:

1. (CURRENTLY AMENDED) A method for synchronizing data between a first electronic device and a second electronic device, said devices being capable of communication with each other, eharacterized by the method comprising;:

forming a data item for the first time into the first electronic device,

in response to <u>said</u> forming, <u>checking whether a first grouping identifier is suitable for the</u> <u>formed data item;</u>

in response to a situation in which the first grouping identifier is suitable for the formed data item, associating the said formed data item to the first a grouping identifier, the first said grouping identifier being associable to at least one other data item for grouping said data items,

in response to a situation in which the first grouping identifier is not suitable for the formed data item, obtaining a second grouping identifier and associating the formed data item to the second grouping identifier, the second grouping identifier being associable to at least one other data item for grouping said data items,

selecting one of the following: the first grouping identifier and the second grouping identifier, to be a selected grouping identifier,

selecting at least one grouping identifier, and

synchronizing <u>said</u> data items between said first electronic device and said second electronic device on the basis of said at least one selected grouping identifier.

2. (CURRENTLY AMENDED) A method according to claim 1, wherein each grouping identifier comprises characterized by the grouping identifier comprising at least one of the following: text, still picture, moving picture, sound or vibration effect.

10/645,687

Art Unit:

2165

3. (CURRENTLY AMENDED) A method according to claim 1, wherein the second characterized by the grouping identifier is formed by the user of the <u>first electronic</u> device or the <u>second</u> grouping identifier is retrieved from a network server.

4. (CURRENTLY AMENDED) A method according to claim 1, wherein the method further comprises characterized by, the method further comprising maintaining a register of at least one grouping identifier being associable to at least one data item stored into a the memory of the first electronic device.

5. (CURRENTLY AMENDED) A method according to claim 3, wherein the first grouping identifier characterized by, said data item is associated to a grouping identifier that is manually selected from the register by a user of the first electronic device.

6. (CURRENTLY AMENDED) A method according to claim 3, wherein the first grouping identifier characterized by, said data item is associated to a grouping identifier that is automatically selected from the register by the first electronic device.

7. (CURRENTLY AMENDED) A method according to claim 3, eharacterized by, wherein the second grouping identifier said data item is associated to a grouping identifier that is formed by a user of the first electronic device.

8. (CURRENTLY AMENDED) A method according to claim 4 5, characterized by, said created wherein the second grouping identifier is stored to the register of the first electronic device.

9. (CURRENTLY AMENDED) A method according to claim 1, wherein characterized by, a user of the first electronic device selects the selected grouping identifier for the synchronization manually.

10/645,687

Art Unit:

2165

10. (CURRENTLY AMENDED) A method according to claim 1, wherein characterized by, the first electronic device selects the selected grouping identifier for the synchronization automatically.

11. (CURRENTLY AMENDED) A method according to claim 1, wherein characterized by, the first electronic device performs the synchronization periodically.

12. (CURRENTLY AMENDED) A method according to claim 1, wherein the selected characterized by, said grouping identifier comprises an icon to be visually presented to a the user of the first device.

13. (CURRENTLY AMENDED) A method according to claim 12, wherein the selected characterized by, said grouping identifier further comprises comprising text to be visually presented to the user of the first device.

14. (CURRENTLY AMENDED) A method according to claim 12, wherein the selected characterized by, said grouping identifier further comprises comprising information of those data items associated to said grouping identifier.

15. (CURRENTLY AMENDED) An electronic A first electronic device for synchronizing data between the said first electronic device and at least one another electronic device, said electronic devices being capable of communication connection with each other, the eharacterized by the first electronic device comprising; :

a memory for storing a data item for a first time,

associating means for providing a possibility to check whether a first grouping identifier is suitable for the stored data item, for associating the stored data item to the first grouping identifier in response to a situation in which the first grouping identifier is suitable for the formed data item, and for obtaining a second grouping identifier and associating the stored data item to the second grouping identifier in response to a situation in which the first grouping identifier is

2165

not suitable for the formed data item, the first and the second grouping identifiers being associable to at least one data item stored into the memory of the electronic device,

associating means for associating said stored data item to a grouping identifier, said grouping identifier being associable to at least one data item stored into the memory of the first electronic device,

selecting means for selecting <u>one of the following</u>; the first grouping identifier and the <u>second grouping identifier</u>, to be a selected grouping identifier for synchronization at least one grouping identifier for synchronization, and

synchronizing means for synchronizing said data items between the said first electronic device and the at least one another electronic device on the basis of said at least one the selected grouping identifier.

- 16. (CURRENTLY AMENDED) A device according to claim 15, wherein the characterized by, the first electronic device further comprises comprising a register of at least one grouping identifier being associable to at least one data item stored into the memory of the first electronic device.
- 17. (CURRENTLY AMENDED) A device according to claim 15, wherein characterized by, said associating means are further arranged to select the <u>first</u> grouping identifier from the register on the basis of an input of the a user of the first electronic device.
- 18. (CURRENTLY AMENDED) A device according to claim 15, wherein characterized by, said associating means are further arranged to select the <u>first</u> grouping identifier from the register automatically on the basis of the information in the stored data item.
- 19. (CURRENTLY AMENDED) A device according to claim 15, wherein characterized by, said associating means are further arranged to create the second said grouping identifier on the basis of input of a user of the first electronic device.

10/645,687

Art Unit:

2165

20. (CURRENTLY AMENDED) A device according to claim 17, wherein characterized by, said associating means are further arranged to store the second created grouping identifier to the register of the first electronic device.

21. (CURRENTLY AMENDED) A device according to claim 15, wherein characterized by, said selecting means are further arranged to select the selected grouping identifier for the synchronization on the basis of input of a user of the first electronic device.

22. (CURRENTLY AMENDED) A computer program product for a first electronic device for synchronizing data between said first electronic device and at least one another electronic device, said <u>electronic</u> devices being capable of communication connection with each other, <u>characterized by</u> the computer program product comprising; :

computer program means for causing the first electronic device to store a data item for a first time into <u>a</u> the memory of the first electronic device,

computer program means for causing the first electronic device to provide a possibility to check whether a first grouping identifier is suitable for the stored data item.

computer program means for causing the first electronic device to associate the stored data item to the first grouping identifier in response to a situation in which the first grouping identifier is suitable for the formed data item, and to obtain a second grouping identifier and to associate the stored data item to the second grouping identifier in response to a situation in which the first grouping identifier is not suitable for the formed data item, the first and the second grouping identifiers being associable to at least one data item stored into the memory of the first electronic device.

computer program means for causing the first electronic device to associate said stored data item to a grouping identifier, said grouping identifier being associable to at least one data item stored into the memory of the first electronic device,

computer program means for causing the first electronic device to select <u>one of the following</u>; the first grouping identifier and the second grouping identifier, to be a selected grouping identifier for synchronization at least one grouping identifier for synchronization, and

10/645,687

Art Unit:

2165

computer program means for causing the first electronic device to synchronize said data items between said first electronic device and at least one another electronic device on the basis of said at least one selected grouping identifier.